

SAFETY LED LIGHTS



 **CHROMATE[®]**
INDUSTRIAL CORP.

SAFETY LED LIGHTS

Work Light – Heavy Duty

- Flashlight – Floodlight – Dual-light
- Rechargeable
- Anti-roll Tri-Lobal Design
- Bright LEDs – 50,000 hour life
- Microprocessor controlled
- Impact and chemical resistant housing
- Replaceable NiMH battery pack
- 3 hour charge time
- AC & DC adapters included



Specifications

- Flashlight: 300 Lumens
- Floodlight: 400 Lumens
- Selectable flashlight or floodlight strobe
- Run-time: Flashlight or floodlight 9 hours, Flashlight strobe 24+ hours, Dual-light 4 hours, Dual-light strobe 7 hours
- Vehicle mount
- Moisture resistant
- Traffic Cone Accessories
 - Red P/N 66355R
 - Yellow P/N 66355Y



P/N 66354



Made in
the USA



Work Light – Heavy Duty

- Flashlight – Floodlight – Dual-light
- Rechargeable
- Anti-roll Tri-Lobal Design
- Bright LEDs – 50,000 hour life
- Impact and chemical resistant housing
- Replaceable NiMH battery pack
- 3 hour charge time
- AC & DC adapters included



Specifications

- Flashlight: 160 Lumens
- Floodlight: 200 Lumens
- Dual-switch control
- Tandem operation
- Auto-strobe
- Run-time: Flashlight 6 hours, Floodlight 2 hours, Both 2 hours
- Waterproof to 3 feet (IP-67)
- Traffic Cone Accessories
 - Red P/N 66357R
 - Yellow P/N 66357Y



P/N 66356



Made in
the USA



SAFETY LED LIGHTS

Work Light – 66 LED/Magnetic

- Dual Function / Spotlight – Floodlight
- Rechargeable
- 35,000 hour LED life
- 60 LED Floodlight / 6 LED Spotlight
- Bright white LEDs
- Impact and chemical resistant housing
- Will stand upright on flat surface
- Dual position magnetic hook attaches to top or side
- Rechargeable NiMH battery pack
- 8 hour charge time
- AC & DC adapters included



P/N 66358



Specifications

- Spotlight: 12 Lumens
- Floodlight: 120 Lumens
- Length: 14.25" (without hook)
- Weight: 9.5 oz with battery
- Dual purpose magnet
- Run-time: Spotlight 18 hours / Floodlight 4 hours
- 3 position rocker switch



Magnetic Hook – P/N 66358HOOK

Work Light – Safety Orange

- Dual-Mode Flashlight – Floodlight
- Rechargeable high quality NiMH battery
- Bright white LEDs
- 35,000 hour life
- Small size – Light weight
- Safety orange housing
- Impact and chemical resistant
- Removable hanger-hook and magnet
- Long run-time per charge
- Home and car chargers included



P/N 66380



Specifications

- Flashlight: 1 LED = 65 Lumens
- Floodlight: 60 LEDs = 120 Lumens
- Run-time 4 hrs. flashlight, 4 hrs. floodlight
- Charge time 4 hours
- Length: 11.5 in.
- Weight: 12.0 oz

SAFETY LED LIGHTS

Slim Line

- Flashlight – Floodlight – Dual-light
- Super-bright white LEDs
- 35,000 hour life
- Small size – Light weight
- Moisture and impact resistant
- Safety orange housing
- Premium AAA batteries included
- Soft-touch matte finish



P/N 66352

P/N 66351



Specifications – P/N 66351

- Flashlight: 1 LED = 25 Lumens
- Floodlight: 12 LEDs = 24 Lumens
- Run-time: 18 hours flashlight, 15 hours floodlight, 8 hours Dual-light
- Pocket-clip and holster included
- Traffic Cone Accessories
 - Red P/N 66353R
 - Yellow P/N 66353Y



Specifications – P/N 66352

- Flashlight: 1 LED = 65 Lumens
- Floodlight: 36 LEDs = 72 Lumens
- Run-time: 12 hours flashlight, 7 hours floodlight, 5 hours Dual-light
- Holster and clip-magnet included
- Traffic Cone Accessories
 - Red P/N 66353R
 - Yellow P/N 66353Y



Head Lamp

- Spotlight – Floodlight – Dual-light
- Super-bright white LEDs
- 35,000 hour life
- Selectable light control
- Adjustable tilt
- Non-slip headband
- Small size – Light weight
- Moisture and impact resistant
- Safety orange or black housing
- Premium AAA batteries included
- Soft-touch matte finish



P/N 66350



P/N 66350B

Specifications

- Spotlight: 1 LED = 65 Lumens
- Floodlight: 12 LEDs = 24 Lumens
- Tight focus spotlight beam
- Broad beam floodlight
- Activate both for maximum area illumination
- Run-time: 18 hours Flashlight and Floodlight, 10 hours Dual-light

SAFETY LED LIGHTS

Clamp Light – Hands Free

- Spotlight/Flashlight – Floodlight – Dual-Light
- 35,000 hour LED life
- 1 Spotlight LED
- 12 Floodlight LEDs
- Multi-Function Locking Clamp
 - Stands By Itself
 - Secures to Round or Flat Objects
- Light Reaches Out In All Directions
 - Light Swivels 360°
 - Light Tilts 180° +
- Impact & Moisture Resistant Light Housing
- Engineered Polymer Clamp Base
- Premium AAA Batteries Included



P/N 66359

Self Standing

Specifications

- Spotlight: 65 Lumens
- Floodlight: 24 Lumens
- Dual-Light: 89 Lumens
- Detachable Light with Magnetic Base
- 2 Beam Flashlight
- Run-time: Up to 18 hours



Detachable Light
with Magnetic Base



Square Stock



Round Stock



2 Beam Flashlight

The Intruder

- 8 Super Bright LEDs
- Protective Head with Recessed LED
- Switch Cap
- High Strength Aluminum body
- O-Ring Sealed for Weather Resistance
- Includes 1 AA Battery
- 6" Wrist Strap



P/N 66428

Specifications

- Constant on
- Momentary on
- Run-time: Up to 20 hours

SAFETY LED LIGHTS

Extendable Magnetic LED Flashlight



P/N 66349

- Metal Casing
- Weight: 3.5 ounces
- Magnet at Light is for Powerful Retrieval
- Magnet on Grip Acts as A Third Hand
- 3 Super-Bright LEDs
- Extends from 6.5" to 21"
- Flexible Shaft to Access Hard-to-Reach Places
- A Pick-Up Tool and a Flashlight
- Uses 4 LR44 Batteries (included)
- Replacement Batteries - LR44 1.5V 4 PK
P/N 29206



- UTILITY TOOL HOLSTER
P/N 70005



POWERFUL MAGNET
STICKS TO SURFACE
& HOLDS TOOL STEADY


TELESCOPES
TO 21"

FLEXIBLE
SHAFT

ON/OFF
BUTTON

SUPER-BRIGHT
LED LIGHT

MAGNET RECOVERS
DROPPED ITEM



SAFETY LED LIGHTS

Pocket Floodlight

- Up to 10X brighter than ordinary penlights
- Pure Cool White LED High Performance Light
- Lightweight & Compact
- Clips easily and comfortably into any pocket
- Indestructible Aluminum T6 w/ Black Type II Anodized Body
- Water & Dirt Resistant
- Rugged tailcap switch – rated at 100,000 cycles
- Batteries Included
- Designed for all technicians in a demanding shop
- For use in manufacturing or maintenance environments

Specifications

- Brightness: 120 Lumens
- Forward Current: 400 mA
- Battery Voltage: Between 3.3 and 4.8 volts
- 3 AAAA alkaline batteries, included*
- Run-Time: 2 hours to half brightness, 4 hours light w/ typical intermittent use
- Reflector: Custom design w/ bright center spot, orange peel (OP) surface for an even spill beam
- Switch Tailcap: Click ON/Click OFF equipped with a rubber cap that seals out dirt and grit
- Water Resistant: Threaded joints have rubber o-ring seals, tailcap switch is sealed with a rubber cap
- Head Diameter: 9/16" (14 mm)
- Body Diameter: 7/16" (10 mm)
- Body length: 6" (15 cm)

*6-pack AAAA batteries: **P/N 29207**



P/N 66341

3-in-1 LED Tool Light

1. Tool Light

Manual or powerdriver use slide on manual standard screwdrivers (5 mm-11 mm & 3/16"-7/16") or cordless 1/4" powerdriver.

2. Magnetic

Strong magnets hold the tool and flashlight in place on any metal surface.

3. Inspection

Easy to use, provides light on the spot where you need it.

Specifications

- 3 LEDs for a wide beam and super bright illumination
- Shock resistant LED bulbs last 100,000 hours
- On/Off switch – Turn ring clockwise to turn on light
- Non-slip rubber housing – weatherproof
- Powered by 3 micro alkaline cells, Type LR 44 (included)*
- Applications: Handyman work • Tents • RVs • Attic
Basement • Closets • Medicine Cabinet • Under Car Hood
Power Outages • Boats • Under the Sink • Under Tables/Desks

*4-pack LR44 batteries: **P/N 29206**




P/N 66348

Lights up that dark area and makes it easy to see

Intrinsically Safe LED Dual-Light

SAFETY RATED



- Designed for hazardous workplace environments
- Safe to use in potentially explosive atmospheres
- Dual-Light Innovation®
- 80 Lumen CREE® XPE LED
- Sharp Focused Flashlight
- Broad Beam Floodlight
- 50,000 hour LED life
- Separate switches control flashlight and floodlight
- Momentary or constant-on
- Non-slip grip textured push-buttons
- Rugged hi-visibility green polymer housing
- Impact and chemical resistant
- Built-in pocket clip and lanyard
- Waterproof to 1 meter (IP67)
- Length: 7.0 in (178 mm)
- Limited lifetime warranty

ANSI Performance

- Flashlight: 80 Lumens
- Floodlight: 80 Lumens
- Dual-Light: 160 Lumens
- Flashlight beam distance: 95 m
- Run-time:
 - 14.5 hours Flashlight/Floodlight
 - 7.2 hours Dual-light

Note: The Intrinsically Safe LED Dual-Light uses 3 AA alkaline batteries (not included). Order batteries with P/N 29203.



EXCEPTIONAL PRODUCTS, SERVICE AND INNOVATIVE SOLUTIONS

5250-A Naiman Parkway . Solon . OH 44139

1-800-BUY-BOLT . Fax: 631-567-2418 . www.chromate.com

PF-LEDLIGHTS