

\$SMART BUY\$


August 2012

WIRE END BRUSHES

- HIGH QUALITY, OIL TEMPERED, CRIMPED WIRE
- PROVIDES SUPERIOR CUTTING CHARACTERISTICS AND FATIGUE RESISTANCE
- STANDARD 1/4" STEM MAKES THEM PERFECT FOR USE IN PORTABLE AIR, ELECTRIC AND DRILL PRESS CHUCKS

TYPICAL APPLICATIONS:

- WELD CLEANING
- MOLD CLEANING
- DEBURRING
- POLISHING TOOLS, DIES AND MOLDS
- REMOVING RUST AND PAINT
- SPOT PAINTING



DESCRIPTION	(A) DIA.	(B) TRIM LENGTH	(C) STEM	WIRE SIZE	MAX RPM	P / N	SPECIAL PRICE
Wire End	1/2"	7/8"	1/4"	.014	20,000	41320	\$10.25 each / pkg. 2
Wire End	3/4"	7/8"	1/4"	.014	20,000	41315	\$11.25 each / pkg. 2
Circular Flared End	1-1/2"	—	1/4" x 7/8"	.006	20,000	41325	\$20.50 each
Circular Flared End	3"	—	1/4" x 7/8"	.008	15,000	41326	\$30.75 each
Hollow End	1-3/4"	3/4"	1/4"	.0118	13,000	41330	\$16.25 each
Stem Mounted	2"	—	1/4"	.0118	20,000	41335	\$14.50 each
Stem Mounted	3"	—	1/4"	.014	20,000	41336	\$19.25 each
Knotted Cup	4"	1-1/4"	5/8-11	.014	8,500	41350	\$48.50 each
Knotted Cup	6"	1-3/8"	5/8-11	.014	6,000	41352	\$88.50 each

SIX-2-ONE™ ADHESIVE-LINED SHRINK TUBING BLACK WITH A THERMOPLASTIC ADHESIVE LINING

- PROVIDES A TIGHT GAS, WATER AND ENVIRONMENTAL SEAL
- SHRINKS TO FIT EXPANSION RATIOS OF 6 TO 1
- DIELECTRIC STRENGTH OF 500 VOLTS/MIL
- COVERS WIRE FROM #14 AWG THRU 1000 MCM CABLE
- TOUGH AND DURABLE
- EXCELLENT INSULATING AND ABRASION PROTECTION
- CONFORMS TO IRREGULAR SURFACE CONFIGURATIONS
- IDEAL FOR REPLACING TORN CABLE JACKETS AND INSULATING CONNECTORS
- FITS OVER AND SEALS LARGE CONNECTIONS ALREADY MADE WITHOUT COMPLETE DISASSEMBLY
- FLAME RETARDANT MATERIAL MEETS MIL-I-23053/15A SPECS



SIZE	POST SHRINK I.D.	P / N	SPECIAL PRICE
.75" x 12"	.125"	6067	\$7.95 each / pkg. 2
1.30" x 12"	.222"	6071	\$10.95 each / pkg. 2
1.75" x 12"	.293"	6073	\$13.95 each / pkg. 2
2.75" x 12"	.460"	6075	\$23.95 each

PRICES EFFECTIVE AUGUST 1ST – AUGUST 31ST 2012 – LIMIT 2 OF ANY ITEM PER CUSTOMER

\$SMART BUY\$

August 2012

NYLON INSERT LOCK NUTS METRIC

- ZINC PLATED
- ONE-PIECE NYLON INSERT FOR POSITIVE 360° LOCKING
- REUSABLE
- CHROMATE PROTECTIVE PLATING
- PROPERTY CLASS 8 – DIN 985




SIZE mm	PITCH	WAF mm	HEIGHT mm	P / N	SPECIAL PRICE
2.5	0.45	5	4	67389	\$40.00/C - pkg. 25
3	0.50	5.5	4	67390	\$4.00/C - pkg. 100
4	0.70	7	5	67392	\$3.00/C - pkg. 100
5	0.80	8	5	67394	\$3.00/C - pkg. 100
6	1.00	10	6	67396	\$4.00/C - pkg. 100
8	1.25	13	8	67398	\$14.00/C - pkg. 100
10	1.50	17	10	67400	\$15.00/C - pkg. 50
12	1.75	19	14	67402	\$21.00/C - pkg. 50
14	2.00	22	14	67404	\$0.25 each - Pkg. 25
16	2.00	24	16	67406	\$0.50 each - Pkg. 20
20	2.50	30	20	67410	\$0.90 each - Pkg. 10
24	3.00	36	24	67412	\$2.00 each - Pkg. 5

The More
You \$ave!
The More
You Win!

COPPER SPLIT BOLTS CABLE AND BATTERY SUPPLIES



NOTE: Use Red Lion™
Red Insulating Varnish
(P/N 4139) to assure
a long-term, weather
resistant connection.



WIRE RANGE		DIMENSIONS				P / N	SPECIAL PRICE
EQUAL MAIN & TAP (MIN-MAX)	MIN. TAP WITH MAX. MAIN	A	B	C	D		
12 STR - 10 STR	16 STR	23/32"	9/32"	1/8"	31/64"	2740	\$4.95 each - Pkg. 5
10 STR - 8 STR	14 STR	23/32"	3/8"	9/64"	37/64"	2741	\$4.95 each - Pkg. 5
8 STR - 6 SOL	14 STR	63/64"	7/16"	11/64"	45/64"	2742	\$5.95 each - Pkg. 5
8 STR - 4 SOL	14 STR	1-3/64"	1/2"	7/32"	25/32"	2743	\$5.95 each - Pkg. 5
6 STR - 2 SOL	14 STR	1-5/64"	37/64"	17/64"	27/32"	2744	\$7.95 each - Pkg. 2
6 STR - 2 STR	14 STR	1-1/2"	5/8"	21/64"	59/64"	2745	\$9.95 each - Pkg. 2
4 STR - 1/0 STR	14 STR	1-25/32"	13/16"	7/16"	1-3/16"	2746	\$11.95 each - Pkg. 2
1 STR - 2/0 STR	14 STR	1-11/16"	13/16"	27/64"	1-1/16"	2747	\$19.95 each
2/0 STR - 3/0 STR	8 STR	2-3/32"	63/64"	17/32"	1-1/4"	2752	\$27.95 each
4/0 STR - 250 MCM	8 STR	2-3/32"	1-1/16"	37/64"	1-1/4"	2764	\$29.95 each

PRICES EFFECTIVE AUGUST 1ST – AUGUST 31ST 2012 – LIMIT 2 OF ANY ITEM PER CUSTOMER



EXCEPTIONAL PRODUCTS, SERVICE AND INNOVATIVE SOLUTIONS

5250-A Naiman Parkway . Solon . OH 44139

080112

1-800-BUY-BOLT . Fax: 631-567-2418 . www.chromate.com

\$SMART BUY\$


August 2012

COLL-O-CRIMP® "U" SERIES FITTINGS STEEL

• GENERAL PURPOSE LOW, MEDIUM AND HIGH PRESSURE APPLICATIONS




MALE PIPE RIGID



HOSE ID	TUBE SIZE	THREAD SIZE	HOSE CUT-OFF	INDUSTRY TYPE	P / N	SPECIAL PRICE
1/4"	1/8"	1/8-27	7/8"	04U-102	54813	\$5.20 each - Pkg. 6
1/4"	1/4"	1/4-18	1-5/16"	04U-104	54814	\$6.50 each - Pkg. 6
3/8"	1/4"	1/4-18	1-1/8"	06U-104	54815	\$6.40 each - Pkg. 6
3/8"	3/8"	3/8-18	1-1/8"	06U-106	54816	\$7.30 each - Pkg. 6
3/8"	1/2"	1/2-14	1-3/8"	06U-108	54817	\$8.50 each - Pkg. 6
1/2"	3/8"	3/8-18	1-1/8"	08U-106	54818	\$8.20 each - Pkg. 6
1/2"	1/2"	1/2-14	1-3/16"	08U-108	54819	\$8.30 each - Pkg. 6
1/2"	3/4"	3/4-14	1-3/8"	08U-112	54820	\$12.70 each - Pkg. 4
3/4"	3/4"	3/4-14	1-7/16"	12U-112	54821	\$15.00 each - Pkg. 4
3/4"	1"	1-11-1/2	1-11/16"	12U-116	54822	\$19.60 each - Pkg. 2
1"	1"	1-11-1/2	1-5/8"	16U-116	54823	\$23.00 each - Pkg. 2

MALE PIPE SWIVEL



HOSE ID	TUBE SIZE	THREAD SIZE	HOSE CUT-OFF	INDUSTRY TYPE	P / N	SPECIAL PRICE
1/4"	1/4"	1/4-18	1-7/8"	04U-J04	54935	\$13.40 each - Pkg. 4
3/8"	3/8"	3/8-18	1-15/16"	06U-J06	54936	\$12.50 each - Pkg. 4
3/8"	1/2"	1/2-14	2-3/16"	06U-J08	54937	\$14.70 each - Pkg. 4
1/2"	1/2"	1/2-14	2-1/4"	08U-J08	54938	\$13.40 each - Pkg. 4
3/4"	3/4"	3/4-14	2-9/16"	12U-J12	54939	\$21.90 each - Pkg. 2
1"	1"	1-11-1/2	2-7/8"	16U-J16	54940	\$41.70 each - Pkg. 2


METAL BIN SCOOP

- QUITE EFFECTIVE IN REMOVING OR ADDING PRODUCT DURING CONVERSIONS
- RED BAKED ENAMEL FINISH
- DIMENSIONS: 3-3/8" W x 14-1/2" L x 2-1/4" D

P / N 50012

Special Price

\$23.00/ea.



PRICES EFFECTIVE AUGUST 1ST – AUGUST 31ST 2012 – LIMIT 2 OF ANY ITEM PER CUSTOMER

\$SMART BUY\$

August 2012

CIC 200™ CLEAR SHRINK TUBING ASSORTMENT

P/N 17925

- Sizes: 1/8" x 12" to 1" x 12"
- Dual wall flexible clear polyolefin tubing with thick wall adhesive
- Clear for easy viewing of finished product
- Operating temperature range: -67°F (-55°C) to 230°F (110°C)
- Recommended in applications requiring moisture protection or waterproofing
- Shrink temperature is 239°F (115°C)

Special Price \$132.95/ea.

CHROMATE INDUSTRIAL CORP

CIC 200™ CLEAR SHRINK TUBING

P/N 17925

FEATURES:

- Dual wall flexible clear polyolefin tubing with thick wall adhesive
- Clear for easy viewing of finished product
- Operating temperature range is -67°F (-55°C) to 230°F (110°C)
- Recommended in applications requiring moisture protection or waterproofing
- Shrink temperature is 239°F (115°C)

1/8" x 12" P/N 26090 ICFAD26090T		3/16" x 12" P/N 26091 ICFAD26091Q
1/4" x 12" P/N 26092 ICFAD26092X		
3/8" x 12" P/N 26093 ICFAD26093U		
1/2" x 12" P/N 26094 ICFAD26094R		
3/4" x 12" P/N 26095 ICFAD26095V		
1" x 12" P/N 26096 ICFAD26096V		

CHROMATE INDUSTRIAL CORP. • 5250-A NAIMAN PARKWAY, SOLON, OH 44139 • 1-800-BUY-BOLT • FAX: 631-567-2418 • www.chromate.com

SLOTTED FLAT HEAD WOOD SCREW ASSORTMENT

P/N 7717

- Sizes: 6 x 1/2" to 14 x 2"
- Self-centering and easy driving
- Special chromate plating for superior corrosion resistance
- Designed for fast, easy installation to save time, money and labor

Special Price \$134.95/ea.

CHROMATE INDUSTRIAL CORP

SLOTTED FLAT HEAD WOOD SCREWS

P/N 7717

FEATURES:

- Self-centering and easy driving
- Special chromate plating for superior corrosion resistance
- Designed for fast, easy installation to save time, money and labor

6 x 1/2 P/N 7509 ICFAD7509V	7 x 3/4 P/N 7519 ICFAD7519U	8 x 3/4 P/N 7527 ICFAD7527Z	10 x 3/4 P/N 7537 ICFAD7537Y	12 x 3/4 P/N 7549 ICFAD7549R	12 x 1-1/2 P/N 7552 ICFAD7552R
6 x 5/8 P/N 7510 ICFAD7510R	7 x 1 P/N 7520 ICFAD7520Q	8 x 1 P/N 7529 ICFAD7529T	10 x 1 P/N 7539 ICFAD7539S	12 x 1 P/N 7550 ICFAD7550X	14 x 1-1/4 P/N 7560 ICFAD7560W
6 x 3/4 P/N 7511 ICFAD7511V	7 x 1-1/4 P/N 7521 ICFAD7521X	8 x 1-1/4 P/N 7530 ICFAD7530Z	10 x 1-1/4 P/N 7540 ICFAD7540Y	12 x 1-1/4 P/N 7551 ICFAD7551U	14 x 1-1/2 P/N 7561 ICFAD7561T
6 x 1 P/N 7512 ICFAD7512V	8 x 5/8 P/N 7526 ICFAD7526S	10 x 1/2 P/N 7575 ICFAD7575Q	10 x 1-1/2 P/N 7541 ICFAD7541V	14 x 1 P/N 7559 ICFAD7559Q	14 x 2 P/N 7563 ICFAD7563X

CHROMATE INDUSTRIAL CORP. • 5250-A NAIMAN PARKWAY, SOLON, OH 44139 • 1-800-BUY-BOLT • FAX: 631-567-2418 • www.chromate.com

The More
You \$ave!
The More
You Win!

PRICES EFFECTIVE AUGUST 1ST – AUGUST 31ST 2012 – LIMIT 2 OF ANY ITEM PER CUSTOMER



EXCEPTIONAL PRODUCTS, SERVICE AND INNOVATIVE SOLUTIONS

5250-A Naiman Parkway . Solon . OH 44139

080112

1-800-BUY-BOLT . Fax: 631-567-2418 . www.chromate.com