

# SAFETY LED LIGHTS



**CHROMATE**  
INDUSTRIAL CORP.

# Safety LED Lights

## Work Light – Heavy Duty

- Flashlight – Floodlight – Dual-light
- Rechargeable
- Anti-roll Tri-Lobal Design
- Bright LEDs – 50,000 hour life
- Microprocessor controlled
- Impact and chemical resistant housing
- Replaceable NiMH battery pack
- 3 hour charge time
- AC & DC adapters included



### Specifications

- Flashlight: 300 Lumens
- Floodlight: 400 Lumens
- Selectable flashlight or floodlight strobe
- Run-time: Flashlight or floodlight 9 hours, Flashlight strobe 24+ hours, Dual-light 4 hours, Dual-light strobe 7 hours
- Vehicle mount
- Moisture resistant
- Traffic Cone Accessories
  - Red P/N 66355R
  - Yellow P/N 66355Y



P/N 66354



Made in the USA



## Work Light – Heavy Duty

- Flashlight – Floodlight – Dual-light
- Rechargeable
- Anti-roll Tri-Lobal Design
- Bright LEDs – 50,000 hour life
- Impact and chemical resistant housing
- Replaceable NiMH battery pack
- 3 hour charge time
- AC & DC adapters included



### Specifications

- Flashlight: 160 Lumens
- Floodlight: 200 Lumens
- Dual-switch control
- Tandem operation
- Auto-strobe
- Run-time: Flashlight 6 hours, Floodlight 2 hours, Both 2 hours
- Waterproof to 3 feet (IP-67)
- Traffic Cone Accessories
  - Red P/N 66357R
  - Yellow P/N 66357Y



P/N 66356



Made in the USA



# Safety LED Lights

## Work Light – 66 LED/Magnetic

- Dual Function / Spotlight – Floodlight
- Rechargeable
- 35,000 hour LED life
- 60 LED Floodlight / 6 LED Spotlight
- Bright white LEDs
- Impact and chemical resistant housing
- Will stand upright on flat surface
- Dual position magnetic hook attaches to top or side
- Rechargeable NiMH battery pack
- 8 hour charge time
- AC & DC adapters included



P/N 66358



### Specifications

- Spotlight: 12 Lumens
- Floodlight: 120 Lumens
- Length: 14.25" (without hook)
- Weight: 9.5 oz with battery
- Dual purpose magnet
- Run-time: Spotlight 18 hours / Floodlight 4 hours
- 3 position rocker switch



Magnetic Hook – P/N 66358HOOK

## Work Light – Safety Orange

- Dual-Mode Flashlight – Floodlight
- Rechargeable high quality NiMH battery
- Bright white LEDs
- 35,000 hour life
- Small size – Light weight
- Safety orange housing
- Impact and chemical resistant
- Removable hanger-hook and magnet
- Long run-time per charge
- Home and car chargers included



P/N 66380

### Specifications

- Flashlight: 1 LED = 65 Lumens
- Floodlight: 60 LEDs = 120 Lumens
- Run-time 4 hrs. flashlight, 4 hrs. floodlight
- Charge time 4 hours
- Length: 11.5 in.
- Weight: 12.0 oz




# Safety LED Lights



## Extendable Magnetic LED Flashlight

P/N 66349

- Metal Casing
- Weight: 3.5 ounces
- Magnet at Light is for Powerful Retrieval
- Magnet on Grip Acts as A Third Hand
- 3 Super-Bright LEDs
- Extends from 6.5" to 21"
- Flexible Shaft to Access Hard-to-Reach Places
- A Pick-Up Tool and a Flashlight
- Uses 4 LR44 Batteries (included)
- Replacement Batteries - LR44 1.5V 4 PK  
P/N 29206
- Utility Tool Holster  
P/N 70005



## Pocket Floodlight

- Up to 10X brighter than ordinary penlights
- Pure Cool White LED High Performance Light
- Lightweight & Compact
- Clips easily and comfortably into any pocket
- Indestructible Aluminum T6 w/ Black Type II Anodized Body
- Water & Dirt Resistant
- Rugged tailcap switch – rated at 100,000 cycles
- Batteries Included
- Designed for all technicians in a demanding shop
- For use in manufacturing or maintenance environments

### Specifications

- Brightness: 120 Lumens
- Forward Current: 400 mA
- Battery Voltage: Between 3.3 and 4.8 volts
- 3 AAAA alkaline batteries, included\*
- Run-Time: 2 hours to half brightness, 4 hours light w/ typical intermittent use
- Reflector: Custom design w/ bright center spot, orange peel (OP) surface for an even spill beam
- Switch Tailcap: Click ON/Click OFF equipped with a rubber cap that seals out dirt and grit
- Water Resistant: Threaded joints have rubber o-ring seals, tailcap switch is sealed with a rubber cap
- Head Diameter: 9/16" (14 mm)
- Body Diameter: 7/16" (10 mm)
- Body length: 6" (15 cm)



P/N 66341



\*6-pack AAAA batteries: P/N 29207

# Safety LED Lights

## Red Pocket LED Floodlight

- **Up to 10X brighter than ordinary “Red” LED penlights**
- **LED high performance light**
- **Lightweight and compact**
- **Clips easily and comfortably into any pocket**
- **T6 Aluminum with Red Type II Anodized Body**
- **Water and dirt resistant**
- **Rugged tailcap switch – rated at 100,000 cycles**
- **Energizer batteries included**
- **Applications:** Preserves night vision of individuals; Aviators reading flight plans  
Security; Reading equipment in the dark; Doctors/Nurses monitoring patients  
Military/Police; Emergency Service Personnel; Astronomers; Photographers; Ushers

### Specifications

- Brightness: 46 Lumens
- LED Wavelength: Cree Xp-C, Red 620-630 nm
- Forward Current: 350 mA
- Battery Voltage: Between 3.3 and 4.8 volts
- 3 AAAA alkaline batteries, included\*
- Run-Time: 2 hours to half brightness, 4 hours light w/ typical intermittent use
- Reflector: Custom design w/ bright center spot, orange peel (OP) surface for a huge floodlight beam
- Switch Tailcap: Click ON / click OFF, plus half-press momentary on equipped with a rubber cap that seals out dirt and grit
- Water Resistant: Threaded joints have rubber o-ring seals, tailcap switch is sealed with a rubber cap
- Head Diameter: 9/16" (14 mm)
- Body Diameter: 7/16" (10 mm)
- Body length: 6" (15 cm)

P/N 66333



\*6-pack AAAA batteries: P/N 29207

## Professional UV LED Inspection Floodlight

- **Up to 20X brighter than ordinary UV penlights**
- **High performance UV LED light**
- **Lightweight and compact**
- **Clips easily and comfortably into any pocket**
- **T6 Aluminum with Violet Type II Anodized Body**
- **Water and dirt resistant**
- **Rugged tailcap switch – rated at 100,000 cycles**
- **Energizer batteries included**
- **Applications:** A/C refrigerant dye leak detection; Hairline crack detection/Quality control  
Fluorescent hand stamp verification; Dog, cat & rodent urine stain detection  
Restroom cleanliness inspection; Document and lab analysis; Crime scene investigation  
Paint authentication; Currency verification; Bacteria detection; Gem inspection; UV curing

### Specifications

- Brightness: 120 mW emitter radiant flux
- LED Wavelength: UltraViolet (UVA) 400-405 nm
- Forward Current: 350 mA
- Battery Voltage: Between 3.3 and 4.8 volts
- 3 AAAA alkaline batteries, included\*
- Run-Time: 2 hours to half brightness, 4 hours light w/ typical intermittent use
- Reflector: Custom design with a bright center spot, orange peel (OP) surface for an even beam
- Switch Tailcap: Click ON / click OFF, plus half-press momentary on equipped with a rubber cap that seals out dirt and grit
- Water Resistant: Threaded joints have rubber o-ring seals, tailcap switch is sealed with a rubber cap
- Head Diameter: 9/16" (14 mm)
- Body Diameter: 7/16" (10 mm)
- Body length: 6" (15 cm)

P/N 66334



**CAUTION**  
Wear 100% UVA blocking safety glasses when using. Do not shine the light in anyone's eyes.

\*6-pack AAAA batteries: P/N 29207

# Safety LED Lights

## Clamp Light – Hands Free

- Spotlight/Flashlight – Floodlight – Dual-Light
- 35,000 hour LED life
- 1 Spotlight LED
- 12 Floodlight LEDs
- Multi-Function Locking Clamp
  - Stands By Itself
  - Secures to Round or Flat Objects
- Light Reaches Out In All Directions
  - Light Swivels 360°
  - Light Tilts 180° +
- Impact & Moisture Resistant Light Housing
- Engineered Polymer Clamp Base
- Premium AAA Batteries Included

### Specifications

- Spotlight: 65 Lumens
- Floodlight: 24 Lumens
- Dual-Light: 89 Lumens
- Detachable Light with Magnetic Base
- 2 Beam Flashlight
- Run-time: Up to 18 hours



P/N 66359

Self Standing



Detachable Light with Magnetic Base



Square Stock



Round Stock



2 Beam Flashlight

## Magnetic LED Stick Light

- 7 super-bright LEDs - 75 lumens output
- Powerful magnet for flush, secure attachment
- Extra strong magnet in handle provides an extra hand as well as handy pick-up tool
- Has a pocket clip that moves 0°-180° to flood in light at every angle
- Produces a floodlight effect as well as directional
- Water resistant
- Rugged
- Runs more than 10 hours
- Uses 3 AAA batteries (included)
- Replacement batteries (P/N 29204)

P/N 66328

**POWERFUL!**  
POCKET-SIZED FLOODLIGHT

Pocket clip rotates 0°-180°.



Magnetically attach to a vertical surface!



Magnetically attach to a horizontal surface!



Magnetically attach to vertical surface!




# Safety LED Lights

## Lighted Pick-up Tools

- The Blue Lighted Pick-up Tool is magnetic and works well when picking up metal objects.
- The Red Lighted Pick-up Tool is not magnetic and is great when a magnet would be a drawback.
- Both are flexible and made to fit into cramped spaces as well as reach around obstacles.
- Both have a handy LED light with easy On/Off button.
- Approximately 24 inches long.
- A sturdy storage case is included which fits both tools.
- Both tools use 3 LR-44 batteries (included). Reorder with P/N 29206 (4 pack)



## A SET OF 2 FLEXIBLE, LIGHTED PICK-UP TOOLS



Lighted Pick-up Tools are only sold as a set.

## Technician's Floodlight

- Over 300 lumens of brilliant white light with no hot spots or dark spots
- Strong, retractable hook allows you to hang it
- Dual rare-earth magnets, for fastening it to a work-space
- Removable belt clip
- Head tilts 180° and rotates 360°
- 6 AA rechargeable NiMH battery pack included, with smart recharger
- Run-time: High: 2 hours continuous, Low: 8 hours
- Battery condition indicator light
- Ergonomic light-weight, secure grip
- Includes a 12V charger and a 120V charger
- Flared base allows standing light on end
- Standard 1/4-20 threaded hole in base for tripod (not included)
- Length: 10-1/4" (26 cm)
- Weight: 1 lb (0.5 kg)
- Applications: Automotive; Industrial; HVAC repairmen; IT maintenance; Emergencies; Power Outages



### Specifications

- Brightness: High: 300 emitter lumens / Low: 75 emitter lumens
- Color: Cool White
- LED: Cree XP-G, 5 W
- Material: High impact ABS, except hook, which is glass reinforced ABS
- Head Adjustment: Tilt tension adjustment screw prevents head from flopping
- Hook length: 3" (7.5 cm) when extended, retracts into body of floodlight
- Hook diameter: 1" (2.5 cm)
- Magnets: 2 co-planar, nickel-plated, neodymium rare-earth magnets
- Charger: Smart switching charger, 120 VAC with standard "Type A", 2 prong plug
- Recharge time: About 6 hours

# Safety LED Lights

## Multi-function LED Flashlight

- Flashlight – Floodlight – Dual-Light
- Single body switch
- Flashlight with CREE® LED technology  
- 50,000 + hours LED life
- Floodlight with premium LED technology  
- 35,000 + hours LED life
- Momentary or constant-on flashlight
- Sharp focused beam flashlight
- Wide-beam unfocused floodlight
- Engineered polymer housing
- Non-slip grip – Comfortable oval shape
- Soft touch finish
- Water resistant
- Impact and chemical resistant
- 2 AAA premium alkaline batteries included

FLASHLIGHT FLOODLIGHT DUAL-LIGHT



P/N 66322



Metal pocket clip included

### Specifications

- **Lumens:** Flashlight-60 / Floodlight-25 / Dual-light-50
- **Run-time:** Flashlight-4 hrs / Floodlight-4 hrs / Dual-light-3 hrs
- **Beam distance:** 50 meters
- **Water rating:** IP-X6 water resistant
- **Drop rating:** 2 meters
- **Length:** 4.7", **Width:** 1.1" x 0.8"
- **Weight:** 2.2 oz



**Premium Alkaline  
AAA Replacement  
Batteries**

Pkg: 8  
P/N 29204

## Waterproof LED Flashlight

- CREE® LED technology
- 50,000 + hours LED life
- Waterproof: IP-X7 Rating
- 180 Lumens
- Momentary or constant-on flashlight
- Sharp focused beam
- Aircraft-grade 6061-T6 aluminum tail-cap with type 3 hard anodized finish
- Glass-filled nylon polymer housing
- Non-slip grip
- Large textured tail-switch
- 1" Handle diameter fits most scope/flashlight mounts
- 1.25" Head diameter accepts 3rd party filters
- Impact & chemical resistant
- Removable pocket clip
- Available in Black, Yellow & Tan
- Two CR-123 lithium batteries included

### Specifications

- **Lumens:** 180
- **Run-time:** 3 hours
- **Beam distance:** 190 meters
- **Water rating:** IP-X7 waterproof
- **Drop rating:** 2 meters
- **Length:** 5.5"
- **Head diameter:** 1.25"
- **Handle diameter:** 1.035"
- **Weight:** 4.4 oz.

P/N 66321BLA



Yellow and tan housing colors also available. (non-stock items\*)

P/N 66321YEL  
P/N 66321TAN

\* Please call for delivery.



66321YEL 66321TAN



**Energizer® CR-123  
Replacement  
Lithium Batteries**

Pkg: 2  
P/N 28899

# Rechargeable 120 LED Under-Hood Work Light

UNDER-HOOD AND INTERIOR ILLUMINATION




- 120 premium LEDs
- 35,000 hour life
- Two light levels (full or half power)
- Use in the shop or roadside
- Use with or without the carrier
- Internal NiMH battery pack
- AC & DC chargers included
- Shop and car chargers included
- Chemical / moisture / impact resistant housing
- Magnetic or hanger-hook mounting

SPRING LOADED CARRIER EXTENDS 77 INCHES



P/N 66325

HOOK OR MAGNET MOUNTING OPTIONS



Magnets on Both Ends

Magnetic Mounts

Hang-Hooks

## SPECIFICATIONS

- 1 Row (60 LED)  
Lumens: 150  
Run-time: 6.5 hours
- 2 Rows (120 LED)  
Lumens: 330  
Run-time: 3.5 hours
- Charge Time: 6 hours (AC or DC chargers)
- Length: 48"
- Weight: 4.9 lbs

# Multi-Function Headlamp

## Multi-Purpose Spotlight/Floodlight & Dual-light



- Multi-Purpose all LED headlamp
- Has both a flashlight and a floodlight light pattern
- 3 lighting modes:
  - Flashlight
  - Floodlight
  - Dual-light (both the flashlight & floodlight at the same time)
- Bright white LEDs with a 35,000 hour life
- Single button design
  - Flashlight
  - Floodlight
  - Dual-light
  - Off
- Adjustable elastic headband with rubberized strips keep the headlamp in place
- Powered by 3 AAA batteries (included)



P/N 66350



P/N 66350B

### Specifications – P/N 66350, 66350B

- **Lumens:**
  - Spotlight: 65
  - Floodlight: 24
  - Dual-Light: 89
- **Run-time:**
  - Spotlight: 18 hrs
  - Floodlight: 18 hrs
  - Dual-Light: 10 hrs
- **Floodlight Color:** White
- **Type of Floodlight:** Solid
- **Length:** 2.4" (61 mm)
- **Width:** 2.8" (71 mm)
- **Depth:** 1.7" (43 mm)
- **Weight:** 3.4 oz (96 g)



### Replacement Batteries



Premium Alkaline  
AAA Replacement  
Batteries

Pkg: 8

P/N 29204

# Multi-Function Headlamp

## Dual Brightness Spotlight/Floodlight & Dual-light



- CREE® LED technology – 50,000+ hours LED life
- Top mounted dual switches provide:
  - High/low-brightness spotlight
  - High/low-brightness floodlight
- Dual-light (spotlight & white floodlight mode at same time) for maximum versatility
- Spotlight – 100/60 Lumens  
Floodlight – 90/50 Lumens  
Dual-light – 115 Lumens
- Multi-position adjustable ratchet tilt head design with non-slip elastic head strap
- Focused spotlight beam for distance illumination
- Unfocused wide-beam floodlight for close-up illumination
- Engineered polymer housing
- Waterproof: XP-X7 Rating
- Impact and chemical resistant
- Powered by 3 AAA batteries (included)




P/N 66315



### Specifications – P/N 66315

- **Lumens:**
  - High spotlight-100 / Low spotlight-60
  - High floodlight-90 / Low floodlight-50
  - Dual-light-115
- **Run-time:**
  - High spotlight-5 hrs / Low spotlight-13.5 hrs,
  - High floodlight-4.25 hrs / Low floodlight-13.75 hrs
  - Dual-light-3.5 hrs
- **Beam distance:** 77 meters
- **Water rating:** IP-X7
- **Drop rating:** 2 meters
- **Width:** 2.6in, **Height:** 2.1in, **Depth:** 1.8in, **Weight:** 3.3oz



### Replacement Batteries



Premium Alkaline  
AAA Replacement  
Batteries

Pkg: 8

P/N 29204

# Multi-Function Headlamp


## Dual Brightness Spotlight, White/Red/Green Floodlight & Dual-light

- CREE® LED technology – 50,000+ hours LED life
- Top mounted dual switches provide:
  - High/low-brightness spotlight
  - White/red/green floodlight
- Dual-light (spotlight & white floodlight mode at same time) for maximum versatility
- Colored floodlight for night-vision preservation
- Spotlight – 150/80 Lumens  
White Floodlight – 100 Lumens  
Red Floodlight – 9 Lumens  
Green Floodlight – 18 Lumens  
Dual-light – 180 Lumens
- Multi-position adjustable ratchet tilt head design with non-slip elastic head strap
- Focused spotlight beam for distance illumination
- Unfocused wide-beam floodlight for close-up illumination
- Engineered polymer housing
- Waterproof: XP-X7 Rating
- Impact and chemical resistant
- Powered by 3 AAA batteries (included)



### Specifications – P/N 66323

- **Lumens:**
  - High spotlight-150 / Low spotlight-80
  - White floodlight-100
  - Red floodlight-9
  - Green floodlight-18
  - Dual-light-180
- **Run-time:**
  - High spotlight-4 hrs / Low spotlight-8 hrs,
  - White floodlight-4 hrs / Red floodlight-25 hrs
  - Green floodlight-22.5 hrs / Dual-light-3 hrs
- **Beam distance:** 60 meters
- **Water rating:** IP-X7
- **Drop rating:** 2 meters
- **Width:** 2.6in, **Height:** 2.1in, **Depth:** 1.8in, **Weight:** 3.3oz



### Replacement Batteries



Premium Alkaline  
AAA Replacement  
Batteries

Pkg: 8

P/N 29204

# Intrinsically Safe Headlamps

## Dual-Function/Class I, II, III, Division I, Groups A-G

- Multi-position tilt head design with elastic head strap (with non-slip lining) and a heavy-duty rubber head strap for use on a hard hat
- Selectable high or low brightness spotlight operation
- CREE® LED technology - 50,000+ hours LED life
- High-brightness spotlight - 115/60 Lumens  
Low-brightness spotlight - 65/40 Lumens
- Focused spotlight beam for distance illumination (92/80 meters)
- Waterproof: IP-X7 Rating
- Engineered polymer housing
- Single switch located on top of light
- Impact & chemical resistant
- 3 AAA premium batteries (included), reorder using P/N 29204



High/Low brightness  
spotlight switch

Spotlight




### Safety Rating

- cETLus Listed Intrinsically Safe  
for use in Class I II III Div 1 SECURITE  
INTRINSEQUE Groups A,B,C,D,E,F & G  
Hazardous Locations -20C ≤ Tamb ≤ +40C
- Ex ia IIC T3 Ga Class 1 Zone 0
  - AEx ia IIC T3 Ga, Zone 20
  - AEx ia IIIC T 165C Da




### Specifications - P/N 66318

- **Spotlight Lumens:** High - 115 / Low - 65
- **Run-time:** High - 4.5 hrs / Low - 13 hrs
- **Beam distance:** 92 meters
- **Water rating:** IP-X7 waterproof
- **Drop rating:** 2 meters
- **Dim:** 2.4" width x 1.9" height x 1.8" depth
- **Weight:** 3.5 oz



### Specifications - P/N 66319\*

- **Spotlight Lumens:** High - 60 / Low - 40
- **Run-time:** High - 13.5 hrs / Low - 22.75 hrs
- **Beam distance:** 80 meters
- **Water rating:** IP-X7 waterproof
- **Drop rating:** 2 meters
- **Dim:** 2.4" width x 1.9" height x 1.8" depth
- **Weight:** 3.5 oz



\*Non-stock item, please call for delivery.

# Intrinsically Safe Headlamps

## Multi-Function/Class I, II, III, Division I, Groups A-G

- Spotlight with CREE® LED technology - 50,000+ hours LED life
- White/red/green floodlight LEDs - 35,000 hour life
- Night vision red or high contrast green floodlight
- Spotlight • Two level white floodlight • Colored floodlight
- Full or half power white floodlight for extended run-time
- Waterproof: IP-X7
- Impact and chemical resistant
- Two switch light control
- Behind the head battery pack for comfort & balance
- Adjustable ratchet tilt headlamp
- Rubber hardhat strap included
- 3 premium alkaline AA batteries included  
- Reorder with P/N 29203



P/N 66326



P/N 66327




P/N 66326

P/N 66327


### Specifications - P/N 66326

- **Spotlight:** 130 lumens
- **Floodlight:** 100 lumens full power  
25 lumens half-power
- **Dual-Light:** 190 lumens
- **Green floodlight:** 21 lumens
- **Run-time hours:**
  - Spotlight: 14
  - Floodlight at full power: 12.5
  - Floodlight at half-power: 70
  - Dual-light: 6
  - Green floodlight: 37
- **Water rating:** IP-X7 waterproof
- **Dim:** 3.3" width x 3.3" height x 3.5" depth
- **Weight:** 9.5 oz



### Specifications - P/N 66327

- **Spotlight:** 100 lumens
- **Floodlight:** 90 lumens full power  
20 lumens half-power
- **Dual-Light:** 175 Lumens
- **Red floodlight:** 18 lumens
- **Run-time hours:**
  - Spotlight: 18
  - Floodlight at full power: 13.5
  - Floodlight at half-power: 75
  - Dual-light: 6.5
  - Red floodlight: 37
- **Water rating:** IP-X7 waterproof
- **Dim:** 3.3" width x 3.3" height x 3.5" depth
- **Weight:** 9.5 oz



### Safety Rating

- cETLus Listed Intrinsically Safe  
for use in Class I II III Div 1 SECURITE  
INTRINSEQUE Groups A,B,C,D,E,F & G  
Hazardous Locations -20C ≤ Tamb ≤+40C
- Ex ia IIC T3 Ga Class 1 Zone 0
  - AEx ia IIC T3 Ga, Zone 20
  - AEx ia IIIC T 165C Da

# Intrinsically Safe Penlights

## 30 or 50 Lumens/Class I, II, III, Division I, Groups A-G

- CREE® LED technology – 50,000+ hours LED life
- 30 or 50 Lumens
- 13.75/18 hours run-time
- Ultra-compact and super slim
- Powerful light output designed to illuminate very tight spaces
- Single tail-cap switch provides momentary or constant-on functionality
- Sharp focused beam for distance illumination (50/40 meters)
- Waterproof: IP-X7 Rating
- Engineered polymer housing
- Impact & chemical resistant
- Built-in pocket/belt clip




### Safety Rating

cETLus Listed Intrinsically Safe  
for use in Class I II III Div 1  
Groups A,B,C,D,E,F & G  
Hazardous Locations




### Specifications – P/N 66316

- Lumens: 50
- Run-time: 13.75 hrs
- Beam distance: 50 meters
- Water rating: IP-X7 waterproof
- Drop rating: 2 meters
- Length: 6.8"
- Diameters: 0.6" head / 0.5" handle
- Weight: 1.5 oz
- Power: 3 AAAA batteries (P/N 29207) included



### Specifications – P/N 66317\*

- Lumens: 30
- Run-time: 18 hrs
- Beam distance: 40 meters
- Water rating: IP-X7 waterproof
- Drop rating: 2 meters
- Length: 5.8"
- Diameters: 0.9" head / 0.7" handle
- Weight: 1.9 oz
- Power: 2 AAA batteries (P/N 29204) included



\*Non-stock item, please call for delivery.

# Intrinsically Safe LED Dual-Light

SAFETY RATED



Flashlight



Floodlight



Dual-Light



P/N 66339

- Designed for hazardous workplace environments
- Safe to use in potentially explosive atmospheres
- Dual-Light Innovation®
- 120 Lumen CREE® LED
- Sharp Focused Flashlight
- Broad Beam Floodlight
- 50,000+ hour LED life
- Separate switches control flashlight and floodlight
- Momentary or constant-on
- Non-slip grip textured push-buttons
- Rugged hi-visibility green polymer housing
- Impact and chemical resistant
- Built-in pocket clip and lanyard
- Waterproof Rating: IP-X7
- Length: 7.0 in (178 mm)
- Limited lifetime warranty




### ANSI Performance

- Flashlight: 120 Lumens
- Floodlight: 120 Lumens
- Dual-Light: 240 Lumens
- Flashlight beam distance: 170 m
- Run-time:
  - 17.5 hours – Flashlight/Floodlight
  - 4.5 hours – Dual-light

### NEW & IMPROVED!

- 50% MORE LUMENS OUTPUT!
- NOW MSHA APPROVED!



Note: Order batteries with P/N 29203 (Duracell PC1500, MSHA approved batteries). See instruction manual for details. 3 AA alkaline batteries are not included.



EXCEPTIONAL PRODUCTS, SERVICE AND INNOVATIVE SOLUTIONS

5250-A Naiman Parkway . Solon . OH 44139

010114 1-800-BUY-BOLT . Fax: 631-567-2418 . www.chromate.com PF-LEDLIGHTS

